

当表に記載されている寸法でも、材料によっては新たに成型型が必要となる場合があります。詳しくは、掲載ページをご確認ください。

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
15.60	19.16	1.78	CO 3035	AS568	38
15.80	20.60	2.40	CO 00015	P	22
15.80	19.60	1.90	CO 0606	JASO	46
16.00	19.60	1.80	CO 6861	ISO	54
16.00	21.30	2.65	CO 7230	ISO	54
16.36	20.78	2.21	CO 1165	AS568	45
16.80	21.60	2.40	CO 0608	JASO	48
16.80	20.60	1.90	CO 0607	JASO	46
16.81	27.47	5.33	CO 8480	AS568	42
17.00	20.60	1.80	CO 7227	ISO	54
17.00	22.30	2.65	CO 7231	ISO	54
17.04	24.10	3.53	CO 8461	AS568	40
17.12	22.36	2.62	CO 0412	AS568	39
17.17	20.73	1.78	CO 1179	AS568	38
17.50	20.50	1.50	CO 0514	S	34
17.80	22.60	2.40	CO 00016	P	22
17.80	21.60	1.90	CO 0609	JASO	46
17.93	22.85	2.46	CO 8805	AS568	45
18.00	23.30	2.65	CO 7232	ISO	54
18.00	25.10	3.55	CO 7251	ISO	54
18.42	29.08	5.33	CO 8481	AS568	42
18.64	25.70	3.53	CO 0413	AS568	40
18.72	23.96	2.62	CO 0414	AS568	39
18.77	22.33	1.78	CO 1203	AS568	38
18.80	22.60	1.90	CO 0610	JASO	46
18.80	23.60	2.40	CO 0611	JASO	48
19.00	24.30	2.65	CO 7233	ISO	54
19.00	26.10	3.55	CO 7252	ISO	54
19.18	24.10	2.46	CO 1206	AS568	45
19.50	22.50	1.50	CO 0515	S	34
19.80	24.60	2.40	CO 00017	P	22
19.80	23.60	1.90	CO 0612	JASO	46
19.99	30.65	5.33	CO 7777	AS568	42
20.00	25.30	2.65	CO 7234	ISO	54
20.00	27.10	3.55	CO 7253	ISO	54
20.22	27.28	3.53	CO 0415	AS568	40
20.29	25.53	2.62	CO 4370	AS568	39
20.35	23.91	1.78	CO 1225	AS568	38
20.80	25.60	2.40	CO 00018	P	22
21.00	24.80	1.90	CO 0613	JASO	46
21.20	26.50	2.65	CO 7235	ISO	54
21.20	28.30	3.55	CO 7254	ISO	54
21.50	24.50	1.50	CO 0516	S	34
21.59	32.25	5.33	CO 8482	AS568	42
21.70	28.70	3.50	CO 00019	P	22
21.80	26.60	2.40	CO 00020	P	22
21.82	28.88	3.53	CO 0416	AS568	40
21.89	27.13	2.62	CO 1240	AS568	39
21.90	25.90	2.00	CO 0517	S	34
21.92	27.82	2.95	CO 8234	AS568	45
21.95	25.51	1.78	CO 1241	AS568	38
22.10	25.90	1.90	CO 0614	JASO	46
22.10	29.10	3.50	CO 00021	P	22
22.10	26.90	2.40	CO 0615	JASO	48
22.40	27.70	2.65	CO 7236	ISO	54
22.40	29.50	3.55	CO 7255	ISO	54
23.16	33.82	5.33	CO 6064	AS568	42
23.30	27.10	1.90	CO 0616	JASO	46
23.30	28.10	2.40	CO 0617	JASO	48
23.39	30.45	3.53	CO 0417	AS568	40
23.46	28.70	2.62	CO 6065	AS568	39
23.47	29.37	2.95	CO 1253	AS568	45
23.50	27.50	2.00	CO 0518	S	34
23.50	31.50	4.00	CO 00301	V	37
23.52	27.08	1.78	CO 3037	AS568	38
23.60	28.90	2.65	CO 7237	ISO	54
23.60	30.70	3.55	CO 7256	ISO	54
23.70	30.70	3.50	CO 00022	P	22
24.40	30.60	3.10	CO 00200	G	30
24.50	28.50	2.00	CO 0519	S	34

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
24.70	31.70	3.50	CO 00023	P	22
24.70	29.50	2.40	CO 0619	JASO	48
24.70	28.50	1.90	CO 0618	JASO	46
24.76	35.42	5.33	CO 3025	AS568	42
24.99	32.05	3.53	CO 0418	AS568	41
25.00	30.30	2.65	CO 7238	ISO	54
25.00	32.10	3.55	CO 7257	ISO	54
25.04	30.94	2.95	CO 8806	AS568	45
25.07	30.31	2.62	CO 3805	AS568	39
25.12	28.68	1.78	CO 4368	AS568	38
25.20	32.20	3.50	CO 00024	P	22
25.50	29.50	2.00	CO 0520	S	34
25.70	32.70	3.50	CO 00025	P	22
25.80	31.10	2.65	CO 7239	ISO	54
25.80	32.90	3.55	CO 7258	ISO	54
26.20	31.00	2.40	CO 0621	JASO	48
26.20	30.00	1.90	CO 0620	JASO	46
26.34	37.00	5.33	CO 8483	AS568	42
26.50	31.80	2.65	CO 7240	ISO	54
26.50	33.60	3.55	CO 7259	ISO	54
26.57	33.63	3.53	CO 0419	AS568	41
26.59	32.49	2.95	CO 2998	AS568	45
26.64	31.88	2.62	CO 3601	AS568	39
26.70	30.26	1.78	CO 3173	AS568	38
27.50	31.50	2.00	CO 0521	S	34
27.70	34.70	3.50	CO 00026	P	22
27.70	31.50	1.90	CO 0622	JASO	46
27.70	32.50	2.40	CO 0623	JASO	48
27.94	38.60	5.33	CO 4337	AS568	42
28.00	33.30	2.65	CO 7241	ISO	54
28.00	35.10	3.55	CO 7260	ISO	54
28.17	35.23	3.53	CO 0420	AS568	41
28.24	33.48	2.62	CO 4128	AS568	39
28.30	31.86	1.78	CO 1302	AS568	38
28.50	32.50	2.00	CO 0522	S	34
28.70	35.70	3.50	CO 00027	P	22
29.20	36.20	3.50	CO 00028	P	22
29.40	35.60	3.10	CO 00201	G	30
29.50	33.50	2.00	CO 0523	S	34
29.51	40.17	5.33	CO 7778	AS568	42
29.70	36.70	3.50	CO 00029	P	22
29.70	33.50	1.90	CO 0624	JASO	46
29.70	34.50	2.40	CO 0625	JASO	48
29.74	36.80	3.53	CO 0421	AS568	41
29.74	35.64	2.95	CO 1315	AS568	45
29.82	35.06	2.62	CO 3105	AS568	39
29.87	33.43	1.78	CO 3636	AS568	38
30.00	35.30	2.65	CO 7242	ISO	54
30.00	37.10	3.55	CO 7261	ISO	54
30.70	37.70	3.50	CO 00030	P	22
31.00	35.00	2.00	CO 0524	S	34
31.12	41.78	5.33	CO 4081	AS568	42
31.20	36.00	2.40	CO 0627	JASO	48
31.20	35.00	1.90	CO 0626	JASO	46
31.20	38.20	3.50	CO 00031	P	22
31.34	38.40	3.53	CO 0422	AS568	41
31.42	36.66	2.62	CO 3112	AS568	39
31.47	35.03	1.78	CO 3093	AS568	38
31.50	35.50	2.00	CO 0525	S	34
31.50	36.80	2.65	CO 7243	ISO	54
31.50	38.60	3.55	CO 7262	ISO	54
31.70	38.70	3.50	CO 00032	P	22
32.50	37.80	2.65	CO 7244	ISO	54
32.50	39.60	3.55	CO 7263	ISO	54
32.69	43.35	5.33	CO 8484	AS568	42
32.92	39.98	3.53	CO 0423	AS568	41
32.99	38.23	2.62	CO 3230	AS568	39
33.05	36.61	1.78	CO 7771	AS568	38
33.20	38.00	2.40	CO 0629	JASO	48
33.20	37.00	1.90	CO 0628	JASO	46

※上記表中では、下記にて表記しております。
・旧JASO→JASO ・ISO相当→ISO

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
33.50	37.50	2.00	CO 0526	S	34
33.50	41.50	4.00	CO 00302	V	37
33.50	38.80	2.65	CO 7245	ISO	54
33.50	40.60	3.55	CO 7264	ISO	54
33.70	40.70	3.50	CO 00033	P	22
34.29	44.95	5.33	CO 4070	AS568	42
34.40	40.60	3.10	CO 00202	G	30
34.42	40.32	2.95	CO 8807	AS568	45
34.50	38.50	2.00	CO 0527	S	34
34.50	39.80	2.65	CO 7246	ISO	54
34.50	41.60	3.55	CO 7265	ISO	54
34.52	41.58	3.53	CO 0424	AS568	41
34.59	39.83	2.62	CO 3449	AS568	39
34.65	38.21	1.78	CO 3092	AS568	38
34.70	41.70	3.50	CO 00034	P	22
35.00	39.00	2.00	CO 0528	S	34
35.20	42.20	3.50	CO 00035	P	22
35.20	39.00	1.90	CO 0630	JASO	46
35.20	40.00	2.40	CO 0631	JASO	48
35.50	39.50	2.00	CO 0529	S	34
35.50	40.80	2.65	CO 7247	ISO	54
35.50	42.60	3.55	CO 7266	ISO	54
35.70	42.70	3.50	CO 00036	P	22
36.09	43.15	3.53	CO 0425	AS568	41
36.17	41.41	2.62	CO 1367	AS568	39
36.50	41.80	2.65	CO 7248	ISO	54
36.50	43.60	3.55	CO 7267	ISO	54
37.20	42.00	2.40	CO 0632	JASO	48
37.46	48.12	5.33	CO 0427	AS568	42
37.46	43.46	3.00	CO 3640	AS568	45
37.50	41.50	2.00	CO 0530	S	34
37.50	42.80	2.65	CO 7249	ISO	54
37.50	44.60	3.55	CO 7268	ISO	54
37.69	44.75	3.53	CO 0426	AS568	41
37.70	44.70	3.50	CO 00037	P	22
37.77	43.01	2.62	CO 1380	AS568	39
37.82	41.38	1.78	CO 6134	AS568	38
38.50	42.50	2.00	CO 0531	S	34
38.70	45.70	3.50	CO 00038	P	22
38.70	44.00	2.65	CO 7250	ISO	54
38.70	45.80	3.55	CO 7269	ISO	54
39.34	44.58	2.62	CO 3851	AS568	39
39.40	45.60	3.10	CO 00203	G	30
39.50	43.50	2.00	CO 0532	S	34
39.50	47.50	4.00	CO 00303	V	37
39.70	46.70	3.50	CO 00039	P	22
39.70	44.50	2.40	CO 0633	JASO	48
40.00	47.10	3.55	CO 7270	ISO	54
40.00	50.60	5.30	CO 7327	ISO	55
40.64	51.30	5.33	CO 0428	AS568	42
40.70	47.70	3.50	CO 00040	P	22
40.87	47.93	3.53	CO 0350	AS568	41
40.94	46.18	2.62	CO 4408	AS568	39
41.00	44.56	1.78	CO 3191	AS568	38
41.20	48.30	3.55	CO 7271	ISO	54
41.20	51.80	5.30	CO 7328	ISO	55
41.50	45.50	2.00	CO 0533	S	34
41.70	48.70	3.50	CO 00041	P	22
42.20	47.00	2.40	CO 0634	JASO	48
42.50	49.60	3.55	CO 7272	ISO	54
42.50	53.10	5.30	CO 7329	ISO	55
42.52	47.76	2.62	CO 6151	AS568	39
43.50	47.50	2.00	CO 0534	S	35
43.69	49.69	3.00	CO 3706	AS568	45
43.70	50.70	3.50	CO 00042	P	22
43.70	50.80	3.55	CO 7273	ISO	54
43.70	54.30	5.30	CO 7330	ISO	55
43.82	54.48	5.33	CO 0429	AS568	42
44.04	51.10	3.53	CO 0351	AS568	41
44.12	49.36	2.62	CO 6155	AS568	39

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
44.17	47.73	1.78	CO 5191	AS568	38
44.40	50.60	3.10	CO 00204	G	30
44.50	48.50	2.00	CO 0535	S	35
44.70	49.50	2.40	CO 0635	JASO	48
44.70	51.70	3.50	CO 00043	P	22
45.00	52.10	3.55	CO 7274	ISO	54
45.00	55.60	5.30	CO 4643	ISO	55
45.50	49.50	2.00	CO 0536	S	35
45.69	50.93	2.62	CO 3152	AS568	39
45.70	52.70	3.50	CO 00044	P	22
46.20	53.30	3.55	CO 7275	ISO	54
46.20	56.80	5.30	CO 7331	ISO	55
46.99	57.65	5.33	CO 0430	AS568	42
47.20	52.00	2.40	CO 0636	JASO	48
47.22	54.28	3.53	CO 0352	AS568	41
47.29	52.53	2.62	CO 1433	AS568	39
47.35	50.91	1.78	CO 3235	AS568	38
47.50	51.50	2.00	CO 0537	S	35
47.50	54.60	3.55	CO 7276	ISO	54
47.50	58.10	5.30	CO 7332	ISO	55
47.60	59.00	5.70	CO 00045	P	24
47.70	54.70	3.50	CO 00046	P	22
48.70	55.70	3.50	CO 00047	P	24
48.70	55.80	3.55	CO 7277	ISO	54
48.70	59.30	5.30	CO 7333	ISO	55
48.90	54.14	2.62	CO 8469	AS568	39
49.40	55.60	3.10	CO 00205	G	30
49.50	53.50	2.00	CO 0538	S	35
49.60	61.00	5.70	CO 00048	P	24
49.70	56.70	3.50	CO 00049	P	24
49.70	54.50	2.40	CO 0637	JASO	48
50.00	57.10	3.55	CO 7278	ISO	54
50.00	60.60	5.30	CO 7334	ISO	55
50.16	60.82	5.33	CO 0431	AS568	42
50.39	57.45	3.53	CO 0353	AS568	41
50.47	55.71	2.62	CO 4330	AS568	39
50.52	54.08	1.78	CO 5346	AS568	38
51.50	58.60	3.55	CO 7279	ISO	54
51.50	62.10	5.30	CO 7335	ISO	55
51.60	63.00	5.70	CO 00050	P	24
52.07	57.31	2.62	CO 1461	AS568	39
52.50	56.50	2.00	CO 0539	S	35
52.60	59.60	3.50	CO 0639	JASO	52
52.60	64.00	5.70	CO 00051	P	24
52.60	57.40	2.40	CO 0638	JASO	48
53.00	60.10	3.55	CO 7280	ISO	54
53.00	63.60	5.30	CO 7336	ISO	55
53.09	59.09	3.00	CO 8808	AS568	45
53.34	64.00	5.33	CO 0432	AS568	42
53.57	60.63	3.53	CO 0354	AS568	41
53.64	58.88	2.62	CO 3707	AS568	39
53.70	57.26	1.78	CO 1467	AS568	38
54.40	60.60	3.10	CO 00206	G	30
54.50	58.50	2.00	CO 0540	S	35
54.50	62.50	4.00	CO 00304	V	37
54.50	61.60	3.55	CO 7281	ISO	54
54.50	65.10	5.30	CO 7337	ISO	55
54.60	66.00	5.70	CO 00052	P	24
55.24	60.48	2.62	CO 6189	AS568	39
55.50	59.50	2.00	CO 0541	S	35
55.60	60.40	2.40	CO 0640	JASO	48
55.60	67.00	5.70	CO 00053	P	24
55.60	62.60	3.50	CO 0641	JASO	52
56.00	63.10	3.55	CO 7282	ISO	54
56.00	66.60	5.30	CO 7338	ISO	55
56.52	67.18	5.33	CO 0433	AS568	42
56.74	63.80	3.53	CO 0355	AS568	41
56.82	62.06	2.62	CO 3107	AS568	39
56.87	60.43	1.78	CO 7772	AS568	38
57.60	69.00	5.70	CO 00054	P	24

※上記表中では、下記にて表記しております。

・旧JASO→JASO ・ISO相当→ISO

当表に記載されている寸法でも、材料によっては新たに成型型が必要となる場合があります。詳しくは、掲載ページをご確認ください。

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
58.00	65.10	3.55	CO 7283	ISO	54
58.00	68.60	5.30	CO 7339	ISO	55
58.42	63.66	2.62	CO 6202	AS568	39
59.36	65.36	3.00	CO 8809	AS568	45
59.40	65.60	3.10	CO 00207	G	30
59.50	63.50	2.00	CO 0542	S	35
59.60	71.00	5.70	CO 00055	P	24
59.60	64.40	2.40	CO 0642	JASO	48
59.60	66.60	3.50	CO 0643	JASO	52
59.69	70.35	5.33	CO 0434	AS568	43
59.92	66.98	3.53	CO 0356	AS568	41
59.99	65.23	2.62	CO 6210	AS568	39
60.00	67.10	3.55	CO 7284	ISO	54
60.00	70.60	5.30	CO 7340	ISO	55
60.05	63.61	1.78	CO 4714	AS568	38
61.50	68.60	3.55	CO 7285	ISO	54
61.50	72.10	5.30	CO 7341	ISO	55
61.59	66.83	2.62	CO 7872	AS568	39
61.60	73.00	5.70	CO 00056	P	24
62.50	66.50	2.00	CO 0543	S	35
62.60	67.40	2.40	CO 0644	JASO	48
62.60	74.00	5.70	CO 00057	P	24
62.60	69.60	3.50	CO 0645	JASO	52
62.86	73.52	5.33	CO 0435	AS568	43
63.00	70.10	3.55	CO 7286	ISO	54
63.00	73.60	5.30	CO 7342	ISO	55
63.09	70.15	3.53	CO 0357	AS568	41
63.17	68.41	2.62	CO 4253	AS568	39
63.22	66.78	1.78	CO 8462	AS568	38
64.40	70.60	3.10	CO 00208	G	30
64.50	68.50	2.00	CO 0544	S	35
64.60	76.00	5.70	CO 00058	P	24
64.77	70.01	2.62	CO 1518	AS568	40
65.00	72.10	3.55	CO 7287	ISO	54
65.00	75.60	5.30	CO 7343	ISO	55
66.04	76.70	5.33	CO 0436	AS568	43
66.27	73.33	3.53	CO 0358	AS568	41
66.34	71.58	2.62	CO 3148	AS568	40
66.40	69.96	1.78	CO 8231	AS568	38
66.50	70.50	2.00	CO 0545	S	35
66.60	71.40	2.40	CO 0646	JASO	48
66.60	78.00	5.70	CO 00059	P	24
66.60	73.60	3.50	CO 0647	JASO	52
67.00	74.10	3.55	CO 7288	ISO	54
67.00	77.60	5.30	CO 7344	ISO	55
67.94	73.18	2.62	CO 3103	AS568	40
69.00	77.00	4.00	CO 00305	V	37
69.00	76.10	3.55	CO 7289	ISO	54
69.00	79.60	5.30	CO 7345	ISO	55
69.22	79.88	5.33	CO 0437	AS568	43
69.40	75.60	3.10	CO 00209	G	30
69.44	76.50	3.53	CO 0359	AS568	41
69.50	73.50	2.00	CO 0546	S	35
69.52	74.76	2.62	CO 4718	AS568	40
69.57	73.13	1.78	CO 4699	AS568	38
69.60	81.00	5.70	CO 00060	P	24
70.50	74.50	2.00	CO 0547	S	35
70.60	77.60	3.50	CO 0649	JASO	52
70.60	75.40	2.40	CO 0648	JASO	48
70.60	82.00	5.70	CO 00061	P	24
71.00	78.10	3.55	CO 7290	ISO	54
71.00	81.60	5.30	CO 7346	ISO	55
71.12	76.36	2.62	CO 6254	AS568	40
72.39	83.05	5.33	CO 0438	AS568	43
72.62	79.68	3.53	CO 0360	AS568	41
72.69	77.93	2.62	CO 6261	AS568	40
72.75	76.31	1.78	CO 4457	AS568	38
73.00	80.10	3.55	CO 7291	ISO	54
73.00	83.60	5.30	CO 7347	ISO	55
74.40	80.60	3.10	CO 00210	G	30

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
74.50	78.50	2.00	CO 0548	S	35
74.60	86.00	5.70	CO 00062	P	24
74.60	81.60	3.50	CO 0650	JASO	52
75.00	82.10	3.55	CO 7292	ISO	55
75.00	85.60	5.30	CO 7348	ISO	55
75.56	86.22	5.33	CO 0439	AS568	43
75.79	82.85	3.53	CO 0361	AS568	41
75.87	81.11	2.62	CO 6268	AS568	40
75.92	79.48	1.78	CO 7129	AS568	38
77.50	84.60	3.55	CO 7293	ISO	55
77.50	88.10	5.30	CO 7349	ISO	55
78.74	89.40	5.33	CO 0440	AS568	43
78.97	86.03	3.53	CO 0362	AS568	41
79.40	85.60	3.10	CO 00211	G	30
79.50	83.50	2.00	CO 0549	S	35
79.60	91.00	5.70	CO 00063	P	24
79.60	86.60	3.50	CO 0651	JASO	52
80.00	87.10	3.55	CO 7294	ISO	55
80.00	90.60	5.30	CO 7350	ISO	55
81.92	92.58	5.33	CO 0441	AS568	43
82.14	89.20	3.53	CO 0363	AS568	41
82.22	87.46	2.62	CO 6276	AS568	40
82.27	85.83	1.78	CO 4335	AS568	38
82.50	89.60	3.55	CO 7295	ISO	55
82.50	93.10	5.30	CO 7351	ISO	55
84.00	92.00	4.00	CO 00306	V	37
84.40	90.60	3.10	CO 00212	G	30
84.50	88.50	2.00	CO 0550	S	35
84.60	91.60	3.50	CO 0652	JASO	52
84.60	96.00	5.70	CO 00064	P	24
85.00	92.10	3.55	CO 7296	ISO	55
85.00	95.60	5.30	CO 7352	ISO	55
85.09	95.75	5.33	CO 0442	AS568	43
85.32	92.38	3.53	CO 0364	AS568	41
87.50	94.60	3.55	CO 7297	ISO	55
87.50	98.10	5.30	CO 7353	ISO	55
88.26	98.92	5.33	CO 0443	AS568	43
88.49	95.55	3.53	CO 0365	AS568	41
88.57	93.81	2.62	CO 3568	AS568	40
88.62	92.18	1.78	CO 3010	AS568	38
89.40	95.60	3.10	CO 00213	G	30
89.50	93.50	2.00	CO 0551	S	35
89.60	101.00	5.70	CO 00065	P	24
89.60	96.60	3.50	CO 0653	JASO	52
90.00	97.10	3.55	CO 7298	ISO	55
90.00	100.60	5.30	CO 7354	ISO	55
91.44	102.10	5.33	CO 0444	AS568	43
91.67	98.73	3.53	CO 0366	AS568	41
92.50	99.60	3.55	CO 7299	ISO	55
92.50	103.10	5.30	CO 7355	ISO	55
94.40	100.60	3.10	CO 00214	G	30
94.50	98.50	2.00	CO 0552	S	35
94.60	106.00	5.70	CO 00066	P	24
94.60	101.60	3.50	CO 0654	JASO	52
94.62	105.28	5.33	CO 0445	AS568	43
94.84	101.90	3.53	CO 0367	AS568	41
94.92	100.16	2.62	CO 4837	AS568	40
94.97	98.53	1.78	CO 8205	AS568	38
95.00	102.10	3.55	CO 7300	ISO	55
95.00	105.60	5.30	CO 7356	ISO	55
97.50	104.60	3.55	CO 7301	ISO	55
97.50	108.10	5.30	CO 7357	ISO	55
97.79	108.45	5.33	CO 0446	AS568	43
98.02	105.08	3.53	CO 0368	AS568	41
99.00	107.00	4.00	CO 00307	V	37
99.40	105.60	3.10	CO 00215	G	30
99.50	103.50	2.00	CO 0553	S	35
99.60	111.00	5.70	CO 00067	P	24
99.60	106.60	3.50	CO 0655	JASO	52
100.00	107.10	3.55	CO 7302	ISO	55

※上記表中では、下記にて表記しております。
・旧JASO→JASO ・ISO相当→ISO

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
100.00	110.60	5.30	CO 7358	ISO	55
100.96	111.62	5.33	CO 0447	AS568	43
101.19	108.25	3.53	CO 0369	AS568	41
101.27	106.51	2.62	CO 7031	AS568	40
101.32	104.88	1.78	CO 4251	AS568	38
101.60	113.00	5.70	CO 00068	P	24
103.00	110.10	3.55	CO 7303	ISO	55
103.00	113.60	5.30	CO 7359	ISO	55
104.14	114.80	5.33	CO 0448	AS568	43
104.37	111.43	3.53	CO 0370	AS568	41
104.40	110.60	3.10	CO 00216	G	30
104.50	108.50	2.00	CO 0554	S	35
104.60	116.00	5.70	CO 00069	P	24
105.60	112.60	3.50	CO 0656	JASO	52
106.00	113.10	3.55	CO 7304	ISO	55
106.00	116.60	5.30	CO 7360	ISO	55
107.32	117.98	5.33	CO 0449	AS568	43
107.54	114.60	3.53	CO 0371	AS568	41
107.62	112.86	2.62	CO 1640	AS568	40
107.67	111.23	1.78	CO 4873	AS568	38
109.00	116.10	3.55	CO 7305	ISO	55
109.00	119.60	5.30	CO 7361	ISO	55
109.00	123.00	7.00	CO 7407	ISO	56
109.40	115.60	3.10	CO 00217	G	30
109.50	113.50	2.00	CO 0555	S	35
109.60	121.00	5.70	CO 00070	P	24
110.49	121.15	5.33	CO 0450	AS568	43
110.72	117.78	3.53	CO 0372	AS568	41
111.50	115.50	2.00	CO 0556	S	35
111.60	123.00	5.70	CO 00071	P	24
111.60	118.60	3.50	CO 0657	JASO	52
112.00	119.10	3.55	CO 7306	ISO	55
112.00	122.60	5.30	CO 7362	ISO	55
112.00	126.00	7.00	CO 7408	ISO	56
113.66	124.32	5.33	CO 0451	AS568	43
113.66	127.62	6.98	CO 0487	AS568	44
113.89	120.95	3.53	CO 0373	AS568	41
113.97	119.21	2.62	CO 5357	AS568	40
114.02	117.58	1.78	CO 4947	AS568	38
114.40	120.60	3.10	CO 00218	G	30
114.50	118.50	2.00	CO 0557	S	35
114.60	126.00	5.70	CO 00072	P	24
115.00	122.10	3.55	CO 7307	ISO	55
115.00	125.60	5.30	CO 7363	ISO	55
115.00	129.00	7.00	CO 7409	ISO	56
116.84	127.50	5.33	CO 6340	AS568	43
116.84	130.80	6.98	CO 0452	AS568	44
117.07	124.13	3.53	CO 0374	AS568	41
117.60	124.60	3.50	CO 0658	JASO	52
118.00	125.10	3.55	CO 7308	ISO	55
118.00	128.60	5.30	CO 7364	ISO	55
118.00	132.00	7.00	CO 7410	ISO	56
119.00	127.00	4.00	CO 00308	V	37
119.40	125.60	3.10	CO 00219	G	30
119.50	123.50	2.00	CO 0558	S	35
119.60	131.00	5.70	CO 00073	P	24
120.02	130.68	5.33	CO 7779	AS568	43
120.02	133.98	6.98	CO 0453	AS568	44
120.24	127.30	3.53	CO 1672	AS568	41
120.32	125.56	2.62	CO 6356	AS568	40
120.37	123.93	1.78	CO 4252	AS568	39
122.00	129.10	3.55	CO 7309	ISO	55
122.00	132.60	5.30	CO 7365	ISO	55
122.00	136.00	7.00	CO 7411	ISO	56
123.19	133.85	5.33	CO 4133	AS568	43
123.19	137.15	6.98	CO 0454	AS568	44
123.42	130.48	3.53	CO 1680	AS568	41
124.40	130.60	3.10	CO 00220	G	30
124.50	128.50	2.00	CO 0559	S	35
124.60	136.00	5.70	CO 00074	P	24

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
124.60	131.60	3.50	CO 0659	JASO	52
125.00	132.10	3.55	CO 7310	ISO	55
125.00	135.60	5.30	CO 7366	ISO	55
125.00	139.00	7.00	CO 7412	ISO	56
126.36	137.02	5.33	CO 6366	AS568	43
126.36	140.32	6.98	CO 0455	AS568	44
126.59	133.65	3.53	CO 1691	AS568	41
126.67	131.91	2.62	CO 7811	AS568	40
126.72	130.28	1.78	CO 8463	AS568	39
128.00	135.10	3.55	CO 7311	ISO	55
128.00	138.60	5.30	CO 7367	ISO	55
128.00	142.00	7.00	CO 7413	ISO	56
129.40	135.60	3.10	CO 00221	G	30
129.50	133.50	2.00	CO 0560	S	35
129.54	140.20	5.33	CO 4205	AS568	43
129.54	143.50	6.98	CO 0456	AS568	44
129.60	141.00	5.70	CO 00075	P	24
129.77	136.83	3.53	CO 1705	AS568	41
131.50	135.50	2.00	CO 0561	S	35
131.60	143.00	5.70	CO 00076	P	24
131.60	138.60	3.50	CO 0660	JASO	52
132.00	139.10	3.55	CO 7312	ISO	55
132.00	142.60	5.30	CO 7368	ISO	55
132.00	146.00	7.00	CO 7414	ISO	56
132.72	143.38	5.33	CO 5131	AS568	43
132.72	146.68	6.98	CO 0457	AS568	44
132.94	140.00	3.53	CO 1717	AS568	41
133.02	138.26	2.62	CO 1720	AS568	40
133.07	136.63	1.78	CO 4948	AS568	39
134.40	140.60	3.10	CO 00222	G	30
134.50	138.50	2.00	CO 0562	S	35
134.60	146.00	5.70	CO 00077	P	24
135.89	146.55	5.33	CO 6385	AS568	43
135.89	149.85	6.98	CO 0458	AS568	44
136.00	143.10	3.55	CO 7313	ISO	55
136.00	146.60	5.30	CO 7369	ISO	55
136.00	150.00	7.00	CO 7415	ISO	56
136.12	143.18	3.53	CO 4047	AS568	41
139.06	153.02	6.98	CO 0459	AS568	44
139.07	149.73	5.33	CO 5317	AS568	43
139.29	146.35	3.53	CO 1744	AS568	41
139.37	144.61	2.62	CO 4812	AS568	40
139.40	145.60	3.10	CO 00223	G	30
139.50	143.50	2.00	CO 0563	S	35
139.60	151.00	5.70	CO 00078	P	24
139.60	146.60	3.50	CO 0661	JASO	52
140.00	147.10	3.55	CO 7314	ISO	55
140.00	150.60	5.30	CO 7370	ISO	55
140.00	154.00	7.00	CO 7416	ISO	56
142.24	152.90	5.33	CO 7782	AS568	43
142.24	156.20	6.98	CO 0460	AS568	44
142.47	149.53	3.53	CO 1762	AS568	41
144.40	150.60	3.10	CO 00224	G	30
144.50	148.50	2.00	CO 0564	S	35
144.60	156.00	5.70	CO 00079	P	24
145.00	152.10	3.55	CO 7315	ISO	55
145.00	155.60	5.30	CO 7371	ISO	55
145.00	159.00	7.00	CO 7417	ISO	56
145.42	156.08	5.33	CO 4111	AS568	43
145.42	159.38	6.98	CO 0461	AS568	44
145.64	152.70	3.53	CO 1774	AS568	41
145.72	150.96	2.62	CO 7130	AS568	40
148.50	156.50	4.00	CO 00309	V	37
148.59	159.25	5.33	CO 8429	AS568	43
148.59	162.55	6.98	CO 0462	AS568	44
148.82	155.88	3.53	CO 1786	AS568	41
149.30	160.70	5.70	CO 00225	G	30
149.50	153.50	2.00	CO 0565	S	35
149.50	166.30	8.40	CO 00080	P	24
149.60	156.60	3.50	CO 0662	JASO	52

※上記表中では、下記にて表記しております。

・旧JASO→JASO ・ISO相当→ISO

当表に記載されている寸法でも、材料によっては新たに成型型が必要となる場合があります。詳しくは、掲載ページをご確認ください。

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
149.60	161.00	5.70	CO 00081	P	24
150.00	157.10	3.55	CO 7316	ISO	55
150.00	160.60	5.30	CO 7372	ISO	55
150.00	164.00	7.00	CO 7418	ISO	56
151.76	165.72	6.98	CO 0463	AS568	44
151.77	162.43	5.33	CO 7783	AS568	43
151.99	159.05	3.53	CO 1805	AS568	41
152.07	157.31	2.62	CO 1808	AS568	40
154.30	165.70	5.70	CO 00226	G	30
154.50	171.30	8.40	CO 00082	P	24
155.00	162.10	3.55	CO 7317	ISO	55
155.00	165.60	5.30	CO 7373	ISO	55
155.00	169.00	7.00	CO 7419	ISO	56
158.12	168.78	5.33	CO 7784	AS568	43
158.12	172.08	6.98	CO 0464	AS568	44
158.34	165.40	3.53	CO 1829	AS568	41
158.42	163.66	2.62	CO 1830	AS568	40
159.30	170.70	5.70	CO 00227	G	30
159.50	176.30	8.40	CO 00083	P	24
160.00	167.10	3.55	CO 7318	ISO	55
160.00	170.60	5.30	CO 7374	ISO	55
160.00	174.00	7.00	CO 7420	ISO	56
164.30	175.70	5.70	CO 00228	G	30
164.46	178.42	6.98	CO 0465	AS568	44
164.47	175.13	5.33	CO 7785	AS568	43
164.50	181.30	8.40	CO 00084	P	24
164.69	171.75	3.53	CO 1856	AS568	41
164.77	170.01	2.62	CO 5411	AS568	40
165.00	172.10	3.55	CO 7319	ISO	55
165.00	175.60	5.30	CO 7375	ISO	55
165.00	179.00	7.00	CO 7421	ISO	56
169.30	180.70	5.70	CO 00229	G	30
169.50	186.30	8.40	CO 00085	P	24
170.00	177.10	3.55	CO 7320	ISO	55
170.00	180.60	5.30	CO 7376	ISO	55
170.00	184.00	7.00	CO 7422	ISO	56
170.82	181.48	5.33	CO 7786	AS568	43
170.82	184.78	6.98	CO 0466	AS568	44
171.04	178.10	3.53	CO 1880	AS568	41
171.12	176.36	2.62	CO 6432	AS568	40
173.00	181.00	4.00	CO 00310	V	37
174.30	185.70	5.70	CO 00230	G	30
174.50	191.30	8.40	CO 00086	P	24
175.00	182.10	3.55	CO 7321	ISO	55
175.00	185.60	5.30	CO 7377	ISO	55
175.00	189.00	7.00	CO 7423	ISO	56
177.16	191.12	6.98	CO 0467	AS568	44
177.17	187.83	5.33	CO 7787	AS568	43
177.39	184.45	3.53	CO 1893	AS568	42
177.47	182.71	2.62	CO 6437	AS568	40
179.30	190.70	5.70	CO 00231	G	30
179.50	196.30	8.40	CO 00087	P	24
180.00	187.10	3.55	CO 7322	ISO	55
180.00	190.60	5.30	CO 7378	ISO	55
180.00	194.00	7.00	CO 7424	ISO	56
183.52	194.18	5.33	CO 7819	AS568	43
183.52	197.48	6.98	CO 0468	AS568	44
183.74	190.80	3.53	CO 1915	AS568	42
183.82	189.06	2.62	CO 6445	AS568	40
184.30	195.70	5.70	CO 00232	G	30
184.50	201.30	8.40	CO 00088	P	24
185.00	192.10	3.55	CO 7323	ISO	55
185.00	195.60	5.30	CO 7379	ISO	55
185.00	199.00	7.00	CO 7425	ISO	56
189.30	200.70	5.70	CO 00233	G	30
189.50	206.30	8.40	CO 00089	P	24
189.86	200.52	5.33	CO 3417	AS568	43
189.86	203.82	6.98	CO 0469	AS568	44
190.00	197.10	3.55	CO 7324	ISO	55
190.00	200.60	5.30	CO 7380	ISO	55

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
190.00	204.00	7.00	CO 7426	ISO	56
190.09	197.15	3.53	CO 1931	AS568	42
190.17	195.41	2.62	CO 8470	AS568	40
194.30	205.70	5.70	CO 00234	G	30
194.50	211.30	8.40	CO 00090	P	24
195.00	202.10	3.55	CO 7325	ISO	55
195.00	205.60	5.30	CO 7381	ISO	55
195.00	209.00	7.00	CO 7427	ISO	56
196.22	206.88	5.33	CO 1945	AS568	43
196.22	210.18	6.98	CO 0470	AS568	44
196.44	203.50	3.53	CO 1946	AS568	42
196.52	201.76	2.62	CO 5303	AS568	40
199.30	210.70	5.70	CO 00235	G	30
199.50	216.30	8.40	CO 00091	P	24
200.00	207.10	3.55	CO 7326	ISO	55
200.00	210.60	5.30	CO 7382	ISO	55
200.00	214.00	7.00	CO 7428	ISO	56
202.56	216.52	6.98	CO 0471	AS568	44
202.57	213.23	5.33	CO 7789	AS568	43
202.79	209.85	3.53	CO 1959	AS568	42
202.87	208.11	2.62	CO 7775	AS568	40
204.30	215.70	5.70	CO 01968	G	30
204.50	221.30	8.40	CO 00092	P	26
206.00	216.60	5.30	CO 7383	ISO	55
206.00	220.00	7.00	CO 7429	ISO	56
208.50	225.30	8.40	CO 00093	P	26
208.92	219.58	5.33	CO 7790	AS568	43
209.14	216.20	3.53	CO 1979	AS568	42
209.22	214.46	2.62	CO 5270	AS568	40
209.30	220.70	5.70	CO 00236	G	30
209.50	226.30	8.40	CO 00094	P	26
212.00	222.60	5.30	CO 7384	ISO	55
212.00	226.00	7.00	CO 7430	ISO	56
214.30	225.70	5.70	CO 03303	G	30
214.50	231.30	8.40	CO 00095	P	26
215.26	229.22	6.98	CO 0472	AS568	44
215.27	225.93	5.33	CO 6492	AS568	43
215.49	222.55	3.53	CO 1990	AS568	42
215.57	220.81	2.62	CO 7776	AS568	40
218.00	228.60	5.30	CO 7385	ISO	55
218.00	232.00	7.00	CO 7431	ISO	56
219.30	230.70	5.70	CO 00237	G	30
219.50	236.30	8.40	CO 00096	P	26
221.62	232.28	5.33	CO 7791	AS568	43
221.84	228.90	3.53	CO 2001	AS568	42
221.92	227.16	2.62	CO 8187	AS568	40
222.50	234.50	6.00	CO 00311	V	37
224.00	234.60	5.30	CO 7386	ISO	55
224.00	238.00	7.00	CO 7432	ISO	56
224.30	235.70	5.70	CO 02011	G	30
224.50	241.30	8.40	CO 00097	P	26
227.96	241.92	6.98	CO 0473	AS568	44
227.97	238.63	5.33	CO 7792	AS568	43
228.19	235.25	3.53	CO 2018	AS568	42
228.27	233.51	2.62	CO 8534	AS568	40
229.30	240.70	5.70	CO 00238	G	30
229.50	246.30	8.40	CO 00098	P	26
230.00	240.60	5.30	CO 7387	ISO	55
230.00	244.00	7.00	CO 7433	ISO	56
234.30	245.70	5.70	CO 02031	G	30
234.32	244.98	5.33	CO 7793	AS568	43
234.50	251.30	8.40	CO 00099	P	26
234.54	241.60	3.53	CO 2032	AS568	42
234.62	239.86	2.62	DO 1122	AS568	40
236.00	246.60	5.30	CO 7388	ISO	55
236.00	250.00	7.00	CO 7434	ISO	56
239.30	250.70	5.70	CO 00239	G	30
239.50	256.30	8.40	CO 00100	P	26
240.66	254.62	6.98	CO 0474	AS568	44
240.67	251.33	5.33	CO 8801	AS568	43

※上記表中では、下記にて表記しております。
・旧JASO→JASO ・ISO相当→ISO

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
240.89	247.95	3.53	CO 2050	AS568	42
240.97	246.21	2.62	DO 1123	AS568	40
243.00	253.60	5.30	CO 7389	ISO	55
243.00	257.00	7.00	CO 7435	ISO	56
244.30	255.70	5.70	CO 02060	G	30
244.50	261.30	8.40	CO 00101	P	26
247.02	257.68	5.33	CO 8803	AS568	43
247.24	254.30	3.53	CO 2064	AS568	42
247.32	252.56	2.62	DO 1124	AS568	40
249.30	260.70	5.70	CO 00240	G	30
249.50	266.30	8.40	CO 00102	P	26
250.00	260.60	5.30	CO 7390	ISO	55
250.00	264.00	7.00	CO 7436	ISO	56
253.36	267.32	6.98	CO 0475	AS568	44
253.37	264.03	5.33	CO 7794	AS568	43
253.59	260.65	3.53	CO 3415	AS568	42
254.30	265.70	5.70	CO 02079	G	30
254.50	271.30	8.40	CO 00103	P	26
258.00	268.60	5.30	CO 7391	ISO	56
258.00	272.00	7.00	CO 7437	ISO	56
259.30	270.70	5.70	CO 00241	G	30
259.50	276.30	8.40	CO 00104	P	26
264.30	275.70	5.70	CO 06543	G	32
264.50	281.30	8.40	CO 00105	P	26
265.00	275.60	5.30	CO 7392	ISO	56
265.00	279.00	7.00	CO 7438	ISO	56
266.06	280.02	6.98	CO 0476	AS568	44
266.07	276.73	5.33	CO 4905	AS568	43
266.29	273.35	3.53	CO 5748	AS568	42
269.30	280.70	5.70	CO 00242	G	32
269.50	286.30	8.40	CO 00106	P	26
272.00	284.00	6.00	CO 00312	V	37
272.00	282.60	5.30	CO 7393	ISO	56
272.00	286.00	7.00	CO 7439	ISO	56
274.30	285.70	5.70	CO 02100	G	32
274.50	291.30	8.40	CO 00107	P	26
278.76	292.72	6.98	CO 0477	AS568	44
278.77	289.43	5.33	CO 7795	AS568	43
278.99	286.05	3.53	CO 5393	AS568	42
279.30	290.70	5.70	CO 00243	G	32
279.50	296.30	8.40	CO 00108	P	26
280.00	290.60	5.30	CO 7394	ISO	56
280.00	294.00	7.00	CO 7440	ISO	56
284.30	295.70	5.70	CO 03210	G	32
284.50	301.30	8.40	CO 00109	P	26
289.30	300.70	5.70	CO 00244	G	32
289.50	306.30	8.40	CO 00110	P	26
290.00	300.60	5.30	CO 7395	ISO	56
290.00	304.00	7.00	CO 7441	ISO	56
291.46	305.42	6.98	CO 0478	AS568	44
291.47	302.13	5.33	CO 8851	AS568	44
291.69	298.75	3.53	CO 2132	AS568	42
294.30	305.70	5.70	CO 06566	G	32
294.50	311.30	8.40	CO 00111	P	26
299.30	310.70	5.70	CO 00245	G	32
299.50	316.30	8.40	CO 00112	P	26
300.00	310.60	5.30	CO 7396	ISO	56
300.00	314.00	7.00	CO 7442	ISO	56
304.16	318.12	6.98	CO 0479	AS568	44
304.17	314.83	5.33	CO 4906	AS568	44
304.30	315.70	5.70	DO 01137	G	32
304.39	311.45	3.53	CO 4602	AS568	42
304.50	321.30	8.40	CO 02147	P	26
307.00	317.60	5.30	CO 7397	ISO	56
307.00	321.00	7.00	CO 7443	ISO	56
309.30	320.70	5.70	CO 02158	G	32
309.50	326.30	8.40	CO 08835	P	26
314.50	331.30	8.40	CO 00113	P	26
315.00	325.60	5.30	CO 7398	ISO	56
315.00	329.00	7.00	CO 7444	ISO	56

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
316.86	330.82	6.98	CO 0480	AS568	44
319.30	330.70	5.70	CO 02176	G	32
319.50	336.30	8.40	CO 00114	P	26
321.50	333.50	6.00	CO 00313	V	37
324.50	341.30	8.40	CO 08836	P	26
325.00	335.60	5.30	CO 7399	ISO	56
325.00	339.00	7.00	CO 7445	ISO	56
329.30	340.70	5.70	CO 08813	G	32
329.50	346.30	8.40	CO 07645	P	26
329.56	343.52	6.98	CO 0481	AS568	44
329.57	340.23	5.33	CO 7797	AS568	44
329.79	336.85	3.53	CO 2192	AS568	42
334.30	345.70	5.70	CO 08814	G	32
334.50	351.30	8.40	CO 00115	P	26
335.00	345.60	5.30	CO 7400	ISO	56
335.00	349.00	7.00	CO 7446	ISO	56
339.30	350.70	5.70	CO 02206	G	32
339.50	356.30	8.40	CO 00116	P	26
342.26	356.22	6.98	CO 0482	AS568	44
344.30	355.70	5.70	CO 02216	G	32
344.50	361.30	8.40	CO 08837	P	26
345.00	355.60	5.30	CO 7401	ISO	56
345.00	359.00	7.00	CO 7447	ISO	56
349.30	360.70	5.70	CO 02223	G	32
349.50	366.30	8.40	CO 06615	P	26
354.30	365.70	5.70	CO 08815	G	32
354.50	371.30	8.40	CO 00117	P	26
354.96	368.92	6.98	CO 0483	AS568	44
354.97	365.63	5.33	CO 7798	AS568	44
355.00	365.60	5.30	CO 7402	ISO	56
355.00	369.00	7.00	CO 7448	ISO	56
355.19	362.25	3.53	CO 4549	AS568	42
359.30	370.70	5.70	CO 02244	G	32
359.50	376.30	8.40	CO 00118	P	26
364.50	381.30	8.40	CO 06630	P	26
365.00	375.60	5.30	CO 7403	ISO	56
365.00	379.00	7.00	CO 7449	ISO	56
367.66	381.62	6.98	CO 0484	AS568	44
369.50	386.30	8.40	CO 08838	P	26
374.30	385.70	5.70	CO 08818	G	32
374.50	391.30	8.40	CO 00119	P	26
375.00	385.60	5.30	CO 7404	ISO	56
375.00	389.00	7.00	CO 7450	ISO	56
376.00	388.00	6.00	CO 00314	V	37
379.30	390.70	5.70	CO 02272	G	32
379.50	396.30	8.40	CO 02274	P	26
380.36	394.32	6.98	CO 0485	AS568	44
380.37	391.03	5.33	CO 6643	AS568	44
380.59	387.65	3.53	CO 2277	AS568	42
384.30	395.70	5.70	CO 08819	G	32
384.50	401.30	8.40	CO 00120	P	26
387.00	397.60	5.30	CO 7405	ISO	56
387.00	401.00	7.00	CO 7451	ISO	56
389.30	400.70	5.70	CO 02287	G	32
389.50	406.30	8.40	CO 06650	P	26
393.06	407.02	6.98	CO 0486	AS568	44
394.30	405.70	5.70	CO 08820	G	32
394.50	411.30	8.40	CO 08839	P	26
399.30	410.70	5.70	CO 02301	G	32
399.50	416.30	8.40	CO 00121	P	26
400.00	410.60	5.30	CO 7406	ISO	56
400.00	414.00	7.00	CO 7452	ISO	56
404.30	415.70	5.70	CO 08821	G	32
404.50	421.30	8.40	CO 02311	P	26
405.26	412.32	3.53	CO 4609	AS568	42
405.26	415.92	5.33	CO 7799	AS568	44
405.26	419.22	6.98	CO 4397	AS568	44
409.30	420.70	5.70	CO 08822	G	32
409.50	426.30	8.40	CO 06663	P	26
412.00	426.00	7.00	CO 7453	ISO	56

※上記表中では、下記にて表記しております。

・旧JASO→JASO ・ISO相当→ISO

当表に記載されている寸法でも、材料によっては新たに成型が必要となる場合があります。詳しくは、掲載ページをご確認ください。

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
414.30	425.70	5.70	CO 02336	G	32
414.50	431.30	8.40	CO 02337	P	26
417.96	431.92	6.98	CO 7806	AS568	44
419.30	430.70	5.70	CO 08823	G	32
419.50	436.30	8.40	CO 08840	P	26
424.30	435.70	5.70	CO 02358	G	32
424.50	441.30	8.40	CO 02359	P	26
425.00	439.00	7.00	CO 7454	ISO	56
425.50	437.50	6.00	CO 00315	V	37
429.30	440.70	5.70	CO 08824	G	32
429.50	446.30	8.40	CO 02371	P	26
430.66	437.72	3.53	CO 6675	AS568	42
430.66	441.32	5.33	CO 8802	AS568	44
430.66	444.62	6.98	CO 7807	AS568	45
434.30	445.70	5.70	CO 08825	G	32
434.50	451.30	8.40	CO 02383	P	28
437.00	451.00	7.00	CO 7455	ISO	56
439.30	450.70	5.70	CO 08826	G	32
439.50	456.30	8.40	CO 08841	P	28
443.36	457.32	6.98	CO 2401	AS568	45
444.30	455.70	5.70	CO 08827	G	32
444.50	461.30	8.40	CO 06681	P	28
449.30	460.70	5.70	CO 02417	G	32
449.50	466.30	8.40	CO 08842	P	28
450.00	464.00	7.00	CO 7456	ISO	56
454.30	465.70	5.70	CO 08828	G	32
454.50	471.30	8.40	CO 02433	P	28
456.06	463.12	3.53	CO 5011	AS568	42
456.06	466.72	5.33	CO 7826	AS568	44
456.06	470.02	6.98	CO 7808	AS568	45
459.30	470.70	5.70	CO 02441	G	32
459.50	476.30	8.40	CO 08843	P	28
462.00	476.00	7.00	CO 6711	ISO	56
464.30	475.70	5.70	CO 06715	G	32
464.50	481.30	8.40	CO 02453	P	28
468.76	482.72	6.98	CO 5107	AS568	45
469.30	480.70	5.70	CO 02460	G	32
469.50	486.30	8.40	CO 08844	P	28
474.30	485.70	5.70	CO 08829	G	32
474.50	491.30	8.40	CO 08845	P	28
475.00	495.00	10.00	CO 00316	V	37
475.00	489.00	7.00	CO 7457	ISO	56
479.30	490.70	5.70	CO 08830	G	32
479.50	496.30	8.40	CO 06734	P	28
481.46	492.12	5.33	CO 7800	AS568	44
481.46	495.42	6.98	CO 4270	AS568	45
484.30	495.70	5.70	CO 08831	G	32
484.50	501.30	8.40	CO 09165	P	28
487.00	501.00	7.00	CO 7458	ISO	56
489.30	500.70	5.70	CO 08832	G	32
489.50	506.30	8.40	DO 09015	P	28
494.16	508.12	6.98	CO 8810	AS568	45
494.30	505.70	5.70	CO 08833	G	32
494.50	511.30	8.40	DO 09016	P	28
499.30	510.70	5.70	CO 08834	G	32
499.50	516.30	8.40	CO 09057	P	28
500.00	514.00	7.00	CO 7459	ISO	56
515.00	529.00	7.00	CO 7460	ISO	56
524.50	544.50	10.00	CO 00317	V	37
530.00	544.00	7.00	CO 7461	ISO	56
545.00	559.00	7.00	CO 7462	ISO	56
560.00	574.00	7.00	CO 7463	ISO	56
579.00	599.00	10.00	CO 00318	V	37
580.00	594.00	7.00	CO 7464	ISO	56
600.00	614.00	7.00	CO 7465	ISO	56
615.00	629.00	7.00	CO 7466	ISO	56
630.00	644.00	7.00	CO 7467	ISO	56
633.50	653.50	10.00	CO 00319	V	37
650.00	664.00	7.00	CO 7468	ISO	56
670.00	684.00	7.00	CO 7469	ISO	56

内径 d ₀	外径 D	太さ W	寸法コード	適合規格	掲載 ページ
683.00	703.00	10.00	CO 00320	V	37
732.50	752.50	10.00	CO 00321	V	37
782.00	802.00	10.00	CO 00322	V	37
836.50	856.50	10.00	CO 00323	V	37
940.50	960.50	10.00	CO 00324	V	37
1044.00	1064.00	10.00	CO 00325	V	37

※上記表中では、下記にて表記しております。
・旧JASO→JASO ・ISO相当→ISO